

MINWAX -- MINWAX(R) WOODFINISH-ALL SHADES,NATIONAL VOC - STAIN

MATERIAL SAFETY DATA SHEET

NSN: 8010001617264

Manufacturer's CAGE: 0K1A4

Part No. Indicator: F

Part Number/Trade Name: MINWAX(R) WOODFINISH-ALL SHADES,NATIONAL VOC

General Information

Item Name: STAIN

Company's Name: MINWAX CO

Company's Street: 15 MERCEDES DR

Company's P. O. Box: 438

Company's City: MONTVALE

Company's State: NJ

Company's Country: US

Company's Zip Code: 07645

Company's Emerg Ph #: 800-424-9300(CHEMTREC)

Company's Info Ph #: 201-391-0253201-573-5700

Safety Data Action Code: A

Record No. For Safety Entry: 007

Tot Safety Entries This Stk#: 009

Status: FE

Date MSDS Prepared: 05JAN95

Safety Data Review Date: 15MAY97

Supply Item Manager: GSA

MSDS Serial Number: CDQLC

Specification Number: TT-S-711

Hazard Characteristic Code: F4

Unit Of Issue: PT

Unit Of Issue Container Qty: 1 PT

Type Of Container: CAN

Net Unit Weight: 0.8 LBS

Ingredients/Identity Information

Proprietary: NO

Ingredient: DISTILLATES (PETROELUM), HYDROTREATED LIGHT.

Ingredient Sequence Number: 01

Percent: 0-3.0

Ingredient Action Code: A

NIOSH (RTECS) Number: OA5504000

CAS Number: 64742-47-8

OSHA PEL: NOT ESTABLISHED

ACGIH TLV: NOT ESTABLISHED

Other Recommended Limit: NONE RECOMMENDED

Proprietary: NO
Ingredient: NAPHTHA, LIGHT AROMATIC (SOLVENT NAPHTHA)
Ingredient Sequence Number: 02
Percent: 0-2.0
Ingredient Action Code: A
NIOSH (RTECS) Number: WF3400000
CAS Number: 64742-95-6
OSHA PEL: NOT ESTABLISHED
ACGIH TLV: NOT ESTABLISHED
Other Recommended Limit: NONE RECOMMENDED

Proprietary: NO
Ingredient: SOLVENT NAPHTHA (PETROLEUM) MEDIUM ALIPHATIC
Ingredient Sequence Number: 03
Percent: 74-87
Ingredient Action Code: A
NIOSH (RTECS) Number: 1003692SN
CAS Number: 64742-88-7
OSHA PEL: NOT ESTABLISHED
ACGIH TLV: NOT ESTABLISHED
Other Recommended Limit: NONE RECOMMENDED

Proprietary: NO
Ingredient: STODDARD SOLVENT
Ingredient Sequence Number: 04
Percent: 0-12.0
Ingredient Action Code: A
NIOSH (RTECS) Number: WJ8925000
CAS Number: 8052-41-3
OSHA PEL: 500 PPM
ACGIH TLV: 100 PPM; 9596
Other Recommended Limit: NONE RECOMMENDED

Proprietary: NO
Ingredient: VOLITILE ORGANIC CONTENT AS LISTED ON MSDS, 720 G/L.
Ingredient Sequence Number: 05
Percent: NA
Ingredient Action Code: A
NIOSH (RTECS) Number: 9999999VC
CAS Number: UNKNOWN
OSHA PEL: NOT ESTABLISHED
ACGIH TLV: NOT ESTABLISHED
Other Recommended Limit: NONE RECOMMENDED

Physical/Chemical Characteristics

=====
Appearance And Odor: CLEAR AMBER TO OPAQUE EARTH-TONE,SLIGHTLY VISCOUS
LIQUID W/MILD HYDROCARBON ODOR
Boiling Point: NP
Melting Point: NP
Vapor Pressure (MM Hg/70 F): N/DETERMIN
Vapor Density (Air=1): N/DETERMIN
Specific Gravity: 0.805-0.878
Decomposition Temperature: NP
Evaporation Rate And Ref: NP
Solubility In Water: INSOLUBLE.
Percent Volatiles By Volume: NP
Viscosity: 50CPS(MAX)
pH: NA
Corrosion Rate (IPY): NP
Autoignition Temperature: NP
=====

Fire and Explosion Hazard Data

=====
Flash Point: 106F,41C
Flash Point Method: TCC
Lower Explosive Limit: N/DETERMINE
Upper Explosive Limit: N/DETERMINE
Extinguishing Media: WATERSPRAY,FOAM,DRY CHEM,CARBON DIOXIDE.DON'T USE
DIRECT STREAT OF WATER.PROD MAY FLOAT,REIGN ON SURFACE OF WATER.
Special Fire Fighting Proc: COMBUSTIBLE.WEAR SELF-CONTAINED BREATHING
APPARATUS & PROTECTIVE CLOTHING APPROPRIATE FOR FIGHTING TYPICAL CHEM FIRE.
USE WATERSPRAY TO COOL FIRE-EXPO CNTNRS.
Unusual Fire And Expl Hazrds: CONMBUST.DANGER!CONTAINS MINERAL SPIRITS.
DON'T USE/STORE NEAR HEAT/SPARKS/FLAME/OTHER GIN SOURCES.CNTNRS EXPO
TOINTENSE HEAT FROM FIRES SHOULD BE COOL (SUPPLEM)
=====

Reactivity Data

=====
Stability: YES
Cond To Avoid (Stability): HEAT,SPARKS,OPEN FLAM, ALL SOURCES OF HEAT OR
IGNITION.
Materials To Avoid: STRONG OXIDIZING AGENTS.
Hazardous Decomp Products: HYDROCARBON FUMES,SMOKE,CARBON MONOXIDE(WHERE
COMBUSTION IS INCOMPLETE)MAY BE FORMED DURING THERMAL DECOMPOSITION.
Hazardous Poly Occur: NO
Conditions To Avoid (Poly): NOT APPLICABLE
=====

Health Hazard Data

LD50-LC50 Mixture: NONE SPECIFIED BY MANUFACTURER.

Route Of Entry - Inhalation: YES

Route Of Entry - Skin: YES

Route Of Entry - Ingestion: NO

Health Haz Acute And Chronic: DANGER:HARMFUL OR FATAL IF SWALLOWED.

CONTAINS MINERAL SPIRITS.SKIN IRRITANT.

Carcinogenicity - NTP: NO

Carcinogenicity - IARC: NO

Carcinogenicity - OSHA: NO

Explanation Carcinogenicity: PER MSDS:CARCINOGENICITY:NTP/IARC/OSHA:NO.

Signs/Symptoms Of Overexp: HARMFUL/FATAL IF INGESTED.SKIN IRRITANT.

Med Cond Aggravated By Exp: NONE SPECIFIED BY MANUFACTURER.

Emergency/First Aid Proc: INHAL:IMMED REMOVE TO FRESH AIR.SYMPTOMS PERSIST

CALL PYSICIAN.SKIN:WASH THOROUGHLY W/SOAP/WATER.IRRIT PERSISTS GET MED

ATTN.EYE:IMMED FLUSH THOROUGHLY W/WATER,THEN REMOVE ANY CONTACT LENSES.

CONTINUE TO FLUSH W/WATER FOR @LEAST 15MINS.IRRIT PERSISTS GET MED ATTN.

INGEST:DO NOT INDUCE VOMIT.CALL PHYSICIAN IMMED.

Precautions for Safe Handling and Use

Steps If Matl Released/Spill: ABSORB SMALL SPILLS W/SAND/OTHER SUITABLE

ABSORBENT MATL.PLACE IN CNTNR FOR DISP.LG SPILLS,AREA MAY BE SLIPPERY,DIKE

AROUND SPILL W/ABSORBENT MATL.TRANSFER LIQ/CONTAMIN DIKING MATLS TO

SEPARATE SUITABLE CNTNRS FOR RECOVERY/DISPOSAL.

Neutralizing Agent: NONE SPECIFIED BY MANUFACTURER.

Waste Disposal Method: DISPOSE OF IN ACCORDANCE IWTH LOCAL, STATE AND

FEDERAL REGULATIONS.NONE OF INGREDIENTS INT PRODUCT MEET REPORTING REQMTS OF

SARA TITLE III SEC 313 LIST OF TOXIC CHEMS.

Precautions-Handling/Storing: AVOID INHAL.USE W/ADEQUA VENTI.AVOID SKIN/

EYE CONTACT.DON'T TAKE INTERNALLY.IF USING INDOORS OPEN ALL WINDOWS/DOORS

TO MAKE SURE THERE'S FRESH AIR MOV

Other Precautions: DANGER:COTNAINS MINERAL SPIRITS.HARMFUL/FATAL IF

INGEST.DON'T TAKE INTERNALLY.SKIN IRRIT.AVOID SKIN/EYES.WEAR RUBB GLVOES/

SAF GLASSES WHEN HNDLG.COMBUSTIBLE.DON'T USE/STORE NEAT HEAT/SPARKS/FLAME/

OTHER IGN SOURCES.CLS CNTNR AFT EA USE.

Control Measures

Respiratory Protection: AVOID INHALATION & USE ONLY WITH ADEQUATE

VENTILATION.

Ventilation: IF USING INDOORS OPEN ALL WINDOWS & DOORS TO MAKE SURE THERE

IS FRESH AIR MOVEMENT.

Protective Gloves: RUBBER GLOVES.

Eye Protection: SAFETY GLASSES.

Other Protective Equipment: NONE SPECIFIED BY MANUFACTURER.

Work Hygienic Practices: KEEP OUT REACH OF CHILDREN.

Suppl. Safety & Health Data: FIRE/EXPLO HAZ:W/WATER TO PREVENT VAP
PRESSURE BUILD-UP WHICH COULD RESULT IN CNTNR RUPTURE.

=====
Transportation Data
=====

Transportation Action Code: A
Trans Data Review Date: 97135
DOT PSN Code: LFK
DOT Proper Shipping Name: PAINT RELATED MATERIAL
DOT Class: 3
DOT ID Number: UN1263
DOT Pack Group: III
DOT Label: FLAMMABLE LIQUID
IMO PSN Code: LCT
IMO Proper Shipping Name: PAINT OR PAINT RELATED MATERIAL
IMO Regulations Page Number: 3372
IMO UN Number: 1263
IMO UN Class: 3.3
IMO Subsidiary Risk Label: -
IATA PSN Code: SXM
IATA UN ID Number: 1263
IATA Proper Shipping Name: PAINT RELATED MATERIAL
IATA UN Class: 3
IATA Label: FLAMMABLE LIQUID
AFI PSN Code: SXH
AFI Prop. Shipping Name: PAINT OR PAINT RELATED MATERIAL
AFI Class: 3
AFI ID Number: UN1263
AFI Pack Group: III
AFI Label: FLAMMABLE LIQUID

=====
Disposal Data
=====

=====
Label Data
=====

Label Required: YES
Technical Review Date: 15MAY97
Label Status: D
Common Name: MINWAX(R) WOODFINISH-ALL SHADES,NATIONAL VOC
Chronic Hazard: YES
Signal Word: DANGER!
Acute Health Hazard-Moderate: X
Contact Hazard-Slight: X
Fire Hazard-Moderate: X
Reactivity Hazard-None: X

Special Hazard Precautions: DANGER:HARMFUL OR FATAL IF SWALLOWED.CONTAINS MINERAL SPIRITS.SKIN IRRITANT. AVOID INHAL.USE W/ADEQUA VENTI.AVOID SKIN/EYE CONTACT.DON'T TAKE INTERNALLY.IF USING INDOORS OPEN ALL WINDOWS/DOORS TO MAKE SURE THERE'S FRESH AIR MOV FIRST AID: INHAL:IMMED REMOVE TO FRESH AIR.SYMPTOMS PERSIST CALL PYSICIAN.SKIN:WASH THOROUGHLY W/SOAP/WATER.IRRIT PERSISTS GET MED ATTN.EYE:IMMED FLUSH THOROUGHLY W/WATER,THEN REMOVE ANY CONTACT LENSES.CONTINUE TO FLUSH W/WATER FOR @LEAST 15MINS.IRRIT PERSISTS SKIN/EYE.

Protect Eye: X
Protect Skin: X
Protect Respiratory: X

Label Name: MINWAX CO
Label Street: 15 MERCEDES DR
Label P.O. Box: 438
Label City: MONTVALE
Label State: NJ
Label Zip Code: 07645
Label Country: US
Label Emergency Number: 800-424-9300(CHEMTREC)

=====
URL for this msds <http://siri.org>. If you wish to change, add to, or delete information in this archive please sent updates to dan@siri.org.